



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

Reports of States and yearly and monthly reports of cities of the United States.

ALABAMA—*Montgomery*.—Month of June, 1899. Census population, 21,883. Total number of deaths, 38. No deaths from contagious diseases reported.

Month of July, 1899. Census population, 21,883. Total number of deaths, 40. No deaths from contagious diseases reported.

COLORADO—*Denver*.—Month of July, 1899. Estimated population, 170,000. Total number of deaths, 171, including diphtheria, 3; enteric fever, 6; measles, 1; cerebro-spinal meningitis, 2, and 36 from phthisis pulmonalis.

CONNECTICUT.—Reports to the State board of health from 168 towns having an aggregate population of 912,159 show a total of 1,369 deaths, including diphtheria, 17; enteric fever, 8; measles, 10; scarlet fever, 3; whooping cough, 14; cerebro-spinal meningitis, 13, and 129 from phthisis pulmonalis.

New Haven.—Month of July, 1899. Estimated population, 110,000. Total number of deaths, 144, including enteric fever, 1; whooping cough, 1, and 14 from phthisis pulmonalis.

Stamford.—Month of July, 1899. Estimated population, 20,000. Total number of deaths, 2 from measles.

ILLINOIS—*Chicago*.—Month of June, 1899. Estimated population, 1,650,000. Total number of deaths, 1,918, including diphtheria, 63; enteric fever, 28; measles, 29; whooping cough, 4, and 216 from phthisis pulmonalis.

INDIANA—*Evansville*.—Month of July, 1899. Estimated population, 70,000. Total number of deaths, 89, including enteric fever, 2; cerebro-spinal meningitis, 1, and 11 from phthisis pulmonalis.

MASSACHUSETTS—*Lawrence*.—Month of July, 1899. Estimated population, 58,500. Total number of deaths, 134, including diphtheria, 5; whooping cough, 3; cerebro-spinal meningitis, 1, and 5 from phthisis pulmonalis.

MINNESOTA—*Minneapolis*.—Month of July, 1899. Census population, 192,833. Total number of deaths 160, including diphtheria, 1; cerebro-spinal meningitis, 10, and 18 from phthisis pulmonalis.

NEW HAMPSHIRE—*Manchester*.—Month of July, 1899. Estimated population, 60,000. Total number of deaths, 121, including diphtheria, 3; enteric fever, 1; cerebro-spinal meningitis, 1, and 7 from phthisis pulmonalis.

NEW JERSEY—*Passaic*.—Two weeks ended August 5, 1899. Census population, 13,028. Total number of deaths, 17. No deaths from contagious diseases.

TEXAS—*San Antonio*.—Month of July, 1899. Estimated population, 63,000. Total number of deaths, 128, including diphtheria, 1; enteric fever, 4; measles, 2, and 18 from phthisis pulmonalis.

UTAH—*Salt Lake City*.—Month of July, 1899. Estimated popula-

tion, 70,000. Total number of deaths, 47, including enteric fever, 2; whooping cough, 1; cerebro-spinal meningitis, 1, and 4 from phthisis pulmonalis.

WASHINGTON—*Seattle*.—Month of July, 1899. Estimated population, 75,000. Total number of deaths, 36, including cerebro-spinal meningitis, 1, and 5 from phthisis pulmonalis.

TACOMA.—Month of July, 1899. Estimated population, 50,000. Total number of deaths, 34, including cerebro-spinal meningitis, 1, and 1 from phthisis pulmonalis.

WISCONSIN—*Milwaukee*.—Month of July, 1899. Estimated population, 285,000. Total number of deaths, 346, including diphtheria, 4; enteric fever, 3; measles, 2; scarlet fever, 2; whooping cough, 1; cerebro-spinal meningitis, 12, and 24 from phthisis pulmonalis.

MORTALITY TABLE, CITIES OF THE UNITED STATES.

Cities.	Week ended.	Population, U. S. Census of 1890.	Total deaths from all causes.	Deaths from—									
				Phthisis pulmonalis.	Yellow fever.	Smallpox.	Varioloid.	Cholera.	Typhus fever.	Enteric fever.	Scarlet fever.	Diphtheria.	Measles.
Allegheny, Pa.	Aug. 19.	105,287	31	2						1	2	1	
Allentown, Pa.	Aug. 5.	25,228	21	2							1		
Do.	Aug. 12.	25,228	10							1			
Altoona, Pa.	do.	30,337	16	3									
Amesbury, Mass.	Aug. 19.	9,798	4	1									
Ashtabula, Ohio.	do.	8,338	5							2			
Baltimore, Md.	do.	434,439	174	9						3		5	3
Baton Rouge, La.	Aug. 12.	10,478	8	1									1
Do.	Aug. 19.	10,478	5										
Bay City, Mich.	Aug. 12.	27,839	2										
Do.	Aug. 19.	27,839	5										
Binghamton, N. Y.	do.	35,005	19								1		
Boston, Mass.	do.	448,477	219	15						4		6	5
Bristol, R. I.	Aug. 12.	5,478	6										
Do.	Aug. 19.	5,478	2										
Butler, Pa.	Aug. 11.	8,731								1			
Cambridge, Mass.	Aug. 19.	70,028	31	2								1	1
Camden, N. J.	Aug. 12.	58,313	28							1		1	
Charleston, S. C.	do.	^a 54,955	^b 31							1			
Chelsea, Mass.	do.	27,909	15							1			1
Chicopee, Mass.	Aug. 19.	14,050	6										
Chillicothe, Ohio.	Aug. 12.	11,288	2							1			
Do.	Aug. 19.	11,288	5										
Cincinnati, Ohio.	Aug. 18.	296,908		8						5	1		
Cleveland, Ohio.	Aug. 19.	261,353	88	5						3		1	
Concord, N. H.	Aug. 12.	17,044	9									1	
Dayton, Ohio.	Aug. 19.	61,220	18										
Dubois, Pa.	Aug. 12.	6,149	1										
Do.	Aug. 19.	6,149	3							1			
Dunkirk, N. Y.	Aug. 12.	9,416	4										
Dunmore, Pa.	do.	8,315	1										
Do.	Aug. 19.	8,315	4										
Elmira, N. Y.	Aug. 12.	29,708	6										
Evansville, Ind.	Aug. 20.	50,759	8										
Everett, Mass.	Aug. 12.	11,068	9										1
Fitchburg, Mass.	do.	22,037	6										
Green Bay, Wis.	Aug. 13.	9,069	4										
Do.	Aug. 20.	9,069	7	1									
Greenville, S. C.	Aug. 19.	8,607	3										
Hoboken, N. J.	Aug. 12.	43,648	21	3								1	
Holyoke, Mass.	Aug. 19.	35,637	13							1			
Jacksonville, Fla.	Aug. 12.	17,201	11	5									
Do.	Aug. 19.	17,201	21	2									

^a Estimated population, 65,165—white, 28,870; colored, 36,295.

^b White, 14; colored, 20.